Outrigger Santa Cruz

Board of Directors (Zoom) Meeting

AGENDA

August 2, 2020

Meeting time: 5:00pm - 6:00pm

CALL TO ORDER:

Approve May minutes

- 1. Treasurer's Report Theresa
- 2. NCOCA update- Tai
- 3. Smalls
 - a. Use and rules
 - i. Add to website must wear pfd (vest if paddling outside harbor, waist if in harbor)
 - ii. Must carry own radio, if outside harbor
 - iii. Cell phone vs radio
 - b. Proposal for new smalls rack at canoe site Phil C
- 4. Reopening taskforce update Phil C
- 5. Next BOD meeting

Website

mail lists 4/2020 to 7/2020 EMWD \$81.00 mail lists 7/2020 to 10/2020 \$81.00

\$162.00

Total \$840.51

Closed tickets

Purple OC1 ama spacer broke

OC1 ama rack foam padding is gone on the top

Small boats dry bags are junk

Red OC1 cable broken

Blue OC1 bungee holder

Red OC1 seat unglued

Red OC1 bungy holder

Blue OC1 venturis

Mr. Poni ama full of water

New OC1

One small boat radio does not receive

Kananimauloa iakos need refinishing

Red OC1 has a hole in it

Blue OC1 ama needs repair

OSC

OC 1 storage proposal

BACKGROUND

- Many OSC members have recently bought boats
- The waiting list for a rack is more than 18 months
- Harbor is no longer allowing OC 1 boats in the rack near Aldos
- We are looking for a way to help members who are on the waiting list.
- Building storage for 6 OC 1 boats on our current site is a good solution to keep members loyal
- Discussions with the Harbor master have taken place
- We need to present options to the harbor and get money approved by the board to build the racks.

SITE PLAN

7/31/2020

Google Maps

Google Maps



MATERIAL TYPES




Aluminum

MATERIAL TYPES



Wood

SIDE VIEW



PROPOSAL

- Metal will cost more than wood.
- Approximately \$2,200.00
- Wood is estimated to be around \$1,400.00
- We would like board approval for the money to build the racks
- Then we would go back to the harbor for final approval
- Once built the harbor will charge \$58.27 per rack per month.
- We have 5 paddlers ready to take on the monthly cost.